

REVO-SPORT



■ REVO SPORT (Sports Facilities High Bay Luminaires)

SPORTS FACILITIES HIGH BAY LUMINAIRE



REVO-SPORT: is designed for the indoors sports facilities. It is our fitting group that is protected against impacts and quakes and energy saving at the same time.

Ball protected Revo makes easier lighting application in sport halls.



REVO-SPORT



NEED OF HIGH LEVEL OF LIGHT AND INTENSE ENERGY CONSUMPTION

Sports facilities generally need high ceilings and a high level of lighting. Especially during official competitions the level of light needed reaches an extreme value of 2000 lux which results in the most of the energy consumption in a sports facility to be for the lighting. It is essential for the lighting equipment to be energy efficient under these conditions. Our new REVO fittings which provide a considerable energy saving for high ceilings satisfy this demand.

QUAKE AND IMPACT SAFETY

Intense noise, vibration and ball hitting are the factors that should be considered. REVO-Sport fittings are designed to satisfy these demands. The vibration absorbing fasteners protect the electronic components while the cage in front of the fitting protects the bulb and reflector against ball momentum up to IK09.

The Unbreakable Bulb - Aura Protector

An option for our REVO-Sport fittings is the Aura Protector Bulbs that are breaking proof against any mechanical impact to provide safety.



Aura Protector Bulb







GENERAL FEATURES

BODY	: RAL7035 PAINTED, DKP SHEET STEEL
REFLECTOR	: HIGH PURITY BRIGHT ANODIZED ALUMINIUM(MIRO4)
DIFFUSOR	: PROTECTING CAGE
BALLAST	: ELECTRONIC BALLAST
LIGHT SOCKET	: T5 LAMP STANDARD G5 SOCKET
EMC	: LIMITED ELECTROMAGNETIC FIELD
VOLTAGE	: 220-240V
APPLICATIONS	: SURFACE MOUNTED, PENDANT

OPTIONS

- EMERGENCY KIT

LUMINAIRE MODELS IP23

Product Codes	Max. Power (W)	Dimensions (mm) axbxh	Lamp Type
MN2 2*TL554U-SP/KF ALMC	2x54W	1214 x 202 x 101	 T5
MN2 2*TL580U-SP/KF ALMC	2x80W	1514 x 202 x 101	 T5
MN2 4*TL554U-SP/KF ALMC	4x54W	1214 x 363 x 101	 T5
MN2 4*TL580U-SP/KF ALMC	4x80W	1514 x 363 x 101	 T5

